

AD-401 442

TECHNICAL MEMORANDUM

(TM Series)

ASTIA AVAILABILITY NOTICE

Qualified requesters may obtain
copies of this report from ASTIA.

This document was produced by SDC in performance of contract AF 19(628)-1648, Space
Systems Division Program, for Space Systems Division, AFSC.

Modification Of SVPAS And
SNPAS For SPACETRACK Data

by

P. Cooley and D. Harris

Approved

W. C. Derango

20 March 1963

SYSTEM

DEVELOPMENT

CORPORATION

2500 COLORADO AVE.


SANTA MONICA

CALIFORNIA

The views, conclusions, or recommendations expressed in this document do not necessarily reflect the official views or policies of agencies of the United States Government.

Permission to quote from this document or to reproduce it, wholly or in part, should be obtained in advance from the System Development Corporation.

Although this document contains no classified information it has not been cleared for open publication by the Department of Defense. Open publication, wholly or in part, is prohibited without the prior approval of the System Development Corporation.



20 March 1963

-1-

TM-(L)-1119/000/00

The pass programs for VTS and NBTS have had added to them the capability to use as input the Local Tracking paper tape output by SPACETRACK in lieu of a binary transfer tape from the PREPASS program. The purpose of this is to test the thesis that SPADATS Look Angle data can be used to support a pass at a tracking station for Program 417 vehicles.

The mode of operation is to use SVPAS (or SNPAS) with the proper function card options (see attached operating instructions) and the SPADATS paper tape. Differences in operating procedures (from the usual operation) are as follows:

1. PREPASS and POSTPASS functions are not used.
2. Tapes 4 and 8 are not used by the pass program.
3. At some time before the pass, the SPADATS paper tape is read in. The pass program will, under the SPADATS option, read the tape and halt when the tables of antenna driving data are set up (this process requires about 5 minutes with good tapes and clean reader).

The SPADATS paper tapes should be listed on a teletype machine to check for gross errors: the time should be right for today's pass, the rev corresponding with that on the function card should appear on the tape, the station number should be correct; there should be no errors on the tape (see attached format). After the pass program has read in the paper tapes, a listing is produced (on-line) of the angles, slant range, and times as found on the tape; this should also be inspected for credibility.

Symbolic and Binary decks of the programs are available, and both versions of the pass programs have been checked out at the CPDC in the simulation mode.

Appendix A

A. Format of SPADATS paper tape as it appears on a teletypewriter.

1. First portion is informational header which is not used by the program.

2. Next, four lines of page header followed by the ephemeris:

NEW BOSTON 886 62A-OMICR1 SAT. NO. 369 ELEM 11 SEC. 16
COMPUTATIONS STARTED AT REVOLUTION NO. 2738 ALL PASSES

REV	ZEBRA TIME	ELEV	AZIM	RANGE
NO.	DAY HR MIN.	ANG.	ANG.	KM.
2752	60 19 10.72	. .0	141.6	2480
2752	60 19 10.77	. .2	141.4	2460

.

.

.

et cetera

.

.

.

2752 60 19 14. 87 28.1 101.9 1071

CONTINUED

3. Next page (new tape)

NEW BOSTON 886 62A-OMICR1 SAT. NO. 369 ELEM 11 SEC. 17
COMPUTATIONS STARTED AT REVOLUTION NO. 2738 ALL PASSES

REV	ZEBRA TIME	ELEV	AZIM	RANGE
NO.	DAY HR MIN.	ANG.	ANG.	KM.
2752	60 19 14.92	28.5	100.7	1061

et cetera, for as many tapes as are necessary to
complete the pass (usually a total of three)

20 March 1963

-3-

TM-(L)-1119/000/00

B. Explanation:

886 (or 989)	A search is made for one of these station numbers near the beginning of a line. Once one is found, a check is made for correct station.
62A-through ELEM. xx	Not interpreted by the program
SEC.16(17,18,)	Used to check proper sequence of tapes read in. This is the section number to which the on-line typewriter refers in the message, "xx SHOULD BE THE NEXT SECTION READ IN"
COMPUTATIONS STARTED	
AT PASSES	Not interpreted by the program
Column Headings	Not interpreted by the program
Ephemeris	The time is set up from the first line, then incremented within the program; the angles are read in and used from each line; the range is not used. The ephemeris is terminated by rev number changing or by operator action. The ephemeris for the desired rev need not start at the beginning of a tape, that is, parts of more than one pass may be included on one section of paper tape.

Appendix BOPERATION OF THE VAFB OR NBTS PASS PROGRAM USING SPADATS PAPER TAPE AS INPUTI. MACHINE SETUP

A. Tapes (1607 Cabinet #2)

1. GTM
2. (Not Used)
3. Listable output
4. (Not Used)

B. Tapes (1607 Cabinet #3)

5. (Not Used)
6. Binary Rec. of track (tape #2)
7. Binary Rec. of track (tape #1)
8. (Not Used)

C. Card Reader

1. For the time being, until these programs are re-defined as programs-to-be-used-a-lot, usage will be via binary deck. The decks will be installed on a master tape whenever desired.
2. The function card format is as follows:
 *SVPAS (or SNPAS) parameter parameter etc.¹
3. The parameters (options) may be punched or typed in any order but must be separated by a blank space.
4. Any parameters (options) not specified in the calling sequence will be considered normal.

D. Parameters (options)

SPADATS	Use SPADATS paper tape for input. When this parameter is present, so must the next two also be.
REV xx	xx is the rev number for this pass (it must be integral, and must follow REV and be separated from it by a blank).

¹ SVPAS is to be used at VAFB; SNPAS at NBTS

20 March 1963

-5-

TM-(L)-1119/000/00

vvvv	Vehicle number (integral).
CARDS	Read cards on-line. This option is used strictly for checkout and should not be used operationally.
TS	Time shift
SIM	Simulate track
NINT	No interrupt. Not used operationally.
NTAPE	Do not write binary rec. of track
NPR	No on-line printout
NPICE	Do not use PICE

II. OPERATION

- A. Ready PICE. Ascertain that there is a valid PICE program load.
- B. Ready printer.
- C. Ready card reader with binary deck and function card, and if applicable, correctors.
- D. Ready paper tape reader with first section of SPADATS tape for the desired rev. Be sure that the reader is clean.
- E. Start at location 10 to: call in program with desired options, read the paper tapes, and print out SPADATS Angles, time, and slant ranges (as taken from the paper tapes) followed by the heading.
- F. After heading prints, computer will stop. At this time, ascertain that interrupt is turned on (Exception: during checkout if using the NINT option, the interrupt will not be turned on.) In addition, check the SPADATS Angles printout to make sure that no wild deviations from normal occur therein.
- G. Hit start to begin track.
- H. If it is desirable to terminate the pass program before the end of the ephemeris, hit the carriage return on the typewriter and type in: "stop+" for VAFB, "stop" for NBTS.

III. CORRECTIONS

If it is necessary to read correctors to the pass program, the method used will be that outlined in SDC TM-745.

IV. THE ON-LINE OUTPUT FORMAT IS AS FOLLOWS:

A. Before the pass (after set-up of SPADATS Angles is complete)

DUR	META	REV	MON	DAY	HR	MIN	SEC	EL	AZ	SR/KM
1.0	5166643.17	2752	3	1	19	10	43.2	.0	141.4	2480.
3.0										

etc.

5167341.17 METT

This printout is for the checking of the data after the paper tapes have read in.

B. During the pass

TIME	System time (seconds)
ETAT	Estimated time until arrival (before rise)(seconds)
	Estimated time to track (after rise)(seconds)
SY	Synch indicator
	Blank = synch
	S = out of synchronization
SJS	Status of selective Jump Switches
DEC	Declination input (degrees)
AZ	Azimuth input (degrees)
TR	0 (degrees)
LK	Status of lock-on
	L = locked-on
	Blank = Not locked-on
DEC	Declination output (degrees)
AZ	Azimuth output (degrees)
TR	0 (degrees)

V. TYPEWRITER PRINTOUTS (BEFORE THE PASS)

1. PUT READER IN CHARACTER MODE AND HIT START
2. REV. NOT ON TAPE LOAD ANOTHER TAPE AND HIT START

20 March 1963

-7-
(Last page)

TM-(L)-1119/000/00

3. BUFFER FULL HIT START TO PROCESS WHAT YOU HAVE
4. CANNOT FIND STATION NO. LOAD NEW TAPE, HIT START
5. WRONG SECTION ORDER, LOAD RIGHT TAPE HIT START
6. XX SHOULD BE THE NEXT SECTION READ IN
SET JUMP KEY 2 IF NO MORE TAPES ARE TO BE USED
7. ALL OF REV. READ IN HIT START TO CONTINUE
8. SPADATS ANGLES ARE SET-UP.
HIT START TO CONTINUE PASS PROGRAM

20 March 1963

TM-(L)-1119/000/00

External Distribution List

Space Systems Division
(Contracting Agency)
Major C. R. Bond (SSOCD)

6594th Aerospace Test Wing
(Contracting Agency)
Lt. Col. A. W. Dill (TWRD)
Lt. Col. M. S. McDowell (TWRU) (2)

PIR-E1 (Lockheed)
N. N. Epstein
C. H. Finnie
H. F. Grover
W. E. Moorman (5)
461 Program Office
698BK Program Office

PIR-E2 (Philco)
J. A. Bean
J. A. Isaacs
R. Morrison
S. M. Stanley

PIR-E3 (LFE)
D. F. Criley
K. B. Williams

PIR-E8 (Mellonics)
F. Druding

PIR-E5 (Aerospace)
F. M. Adair
R. O. Brandsberg
L. H. Garcia
G. J. Hansen
C. S. Hoff
L. J. Kreisberg
T. R. Parkin
E. E. Retzlaff
H. M. Reynolds
D. Saadeh
R. G. Stephenson
V. White

PIR-E7 (STL)
A. J. Carlson (3)

PIR-E4 (GE - Sunnyvale)
J. Farrentine
N. Kirby

PIR-E4 (GE - Santa Clara)
D. Alexander

PIR-E4 (GE - Box 8555)
J. S. Brainard
R. J. Katucki
J. D. Selby

PIR-E4 (GE - 3198 Chestnut)
J. F. Butler
H. D. Gilman

PIR-E4 (GE - Bethesda)
A. Pacchioli

PIR-E4 (GE - Box 8661)
J. D. Rogers

20 March 1963

TM-(L)-1119/000/00

Internal Distribution List (cont.)

TOTSCHEK, R. A.	24090A	WILSON, G. D.	22101
VORHAUS, A. H.	24076A	WINSOR, M. E.	24137
WAGNER, I. T.	24081	WINTER, J. E.	24097
WARSHAWSKY, S. B.	22082	WISE, R. C.	24051
WEST, G. D.	SUNNYVALE	WONG, J. P.	SUNNYVALE
WEST, G. P.	24094A	ZUBRIS, C. J.	24075
Becerra, C. A.	24082		

20 March 1963

TM-(L)-1119/000/00

Internal Distribution List

ALLFREE, D.	22078	KEY, C. D.	24123
ALPERIN, N. I.	24118A	KEYES, R. A.	20073
ARMSTRONG, E.	24089	KINKEAD, R. L.	24071
BERNARDS, R. M.	SUNNYVALE	KNEEMEYER, J. A.	24065A
BIGGAR, D.	24090B	KNIGHT, R. D.	24110B
BILEK, R. W.	24124	KOLBO, L. A.	24139
BLACK, H.	14039	KOSTINER, M.	14056B
BRENTON, L. R.	22070	KRALIAN, R. P.	14039
BURKE, B. E.	22076	KRISTENSEN, K.	SUNNYVALE
CARTER, J. S.	27032	LACHAPELLE, F.	24061
CHAMPAIGN, M. E.	24127B	LAUGHLIN, J. L.	20073
CHIODINI, C. M.	22078	LAVINE, J.	20079
CIACCIA, B. G.	24082A	LITTLE, J. L.	20077
CLINE, B. J.	24097	LONG, F.	24122
COGLEY, J. L.	24135	MADRID, G. A.	22049
CONGER, L.	22079	MAHON, G. A.	20076
COOLEY, P. R.	24083	MARIONI, J. D.	24076B
COURT, T. D.	22073	MARTIN, W. P.	24089
CRUM, D. W.	24093	MCKEOWN, J.	24121
DANT, G. B.	22073	MICHAELSON, S. A.	14039
DECUIR, L. E.	22096A	MILANESE, J. J.	24121
DERANGO, W. C.	24082B	MUNSON, J. B.	24048A
DEXTER, G. W.	24128	MYERS, G. L.	14056A
DISSE, R. J.	24139	NELSON, P. A.	24075
DOBBS, G. H.	24094B	NG, J.	22049
DOBRUSKY, W. B.	22125	NGOU, L.	25030
ELLIS, R. C.	24081	PADGETT, L. A.	24085
EMIGH, G. A.	14039	PATIN, O. E.	SUNNYVALE
ERICKSEN, S. R.	24110A	POLK, T. W.	24099
FELKINS, J.	22070	PRUETT, B. R.	24073
FOSTER, G. A.	14039	RAYBIN, M.	14039
FRANKS, M. A.	25030	REILLY, D. F.	24085
FREY, C. R.	24049	REMSTAD, C. L.	27029
FRIEDEN, H. J.	24071	ROSENBERG, E. J.	14050
GARDNER, S. A.	22053	RUSSELL, R. S.	14050
GREENWALD, I. D.	24058A	SCHOLZ, J. W.	14039
GRIFFITH, E. L.	27029	SCOTT, R. J.	24093
HAAKE, J. W.	24120	SEACAT, C. M.	SUNNYVALE
HARRIS, E. D.	24083	SEIDEN, H. R.	22091A
HENLEY, D. E.	24058B	SHAPIRO, R. S.	25026
HILL, C. L.	24057	SKELTON, R. H.	24127A
HILLHOUSE, J.	24049	SOLOMON, J.	24053
HOLMES, M. A.	22082	SPEER, N. J.	20079
HOLZMAN, H. J.	22096B	STONE, E. S.	22116B
HOUGHTON, W. H.	22073	SWEENEY, M. J.	24057
HOYT, R. L.	14039	TABER, W. E.	22053
IMEL, L. E.	14039	TENNANT, T. C.	27024
KASTAMA, P. T.	24053	TESTERMAN, W. D.	14039
KAYSER, F. M.	25026	THOMPSON, J. W.	22077
KEDDY, J. R.	25026	THORNTON, R. L.	14050

UNCLASSIFIED

System Development Corporation,
Santa Monica, California
MODIFICATION OF SVPAS AND SNPAS
FOR SPACETRACK DATA.
Scientific rept., TM(L)-1119/000/00,
by P. Cooley, D. Harris. 20 March 1963
7p.
(Contract AF 19(628)-1648, Space
Systems Division Program, for Space
Systems Division, AFSC)

Unclassified report

DESCRIPTORS: Programming (Computers).
Satellite Networks.

Reports that the pass programs for
Vandenberg Tracking Station (VTS)

UNCLASSIFIED

and New Boston Tracking Station (NBTS)
now have the added capability to use
as input the Local Tracking paper tape
output by SPACETRACK in lieu of a
binary transfer tape from the PREPASS
program. Also reports that the purpose
of this addition is to test the thesis
that SPADATS Look Angle data can be
used to support a pass at a tracking
station for Program 417 vehicles.

UNCLASSIFIED

UNCLASSIFIED